

SIMAGCHEM

Your Partner For Chinese Market



SIMAGCHEM CORPORATION



Corporation

SIMAGCHEM was established in 1996. We are a dynamic and innovative chemical supplier company based in China. In term of our teamwork and EPR -BDL database, we are professional and successful in association with our principal partners providing our market intelligence to evaluate best suitable sources and JIT quick response system.

The company vision is to be a bridge between East-West trades in chemical.

Service

As a reliable partner in China, we are specialized in bulk specilty chemicals. Consolidating sourcing, marketing, sales distribution and quality-control sections, we provide our partners with a full service of sourcing evaluation, regulation affair support, custom synthesis/contract manufacture for outsourcing, investment solution and suitable partnership establishment in China.

SOURCING

CUSTOM MANUFACTURE QUALITY CONTROL REGULATION COMPLIANCE

Petrochemicals



Product Name	Application
N-Methyl-2-pyrrolidinone(NMP)	Lubricating oil antifreeze agent and the production of lithium-ion battery
Dimethyl sulfoxide	Antifreeze, Pharma intermediate
Ferrocene	Used as a gasoline antiknock additive to increase octane value of low octane gasoline
o-Toluidine	Gasoline antiknock agent
Cyclopentadienyl manganese tricarbonyl (CMT)	Lead-free gasoline antiknock agent, gasoline octane improver
Methylcyclopentadienyl Manganese Tricarbonyl(MMT)	Lead-free gasoline antiknock agent, gasoline octane improver
Dicyclopentadiene(DCPD)	Used for petroleum resin
2-methyl furan	High-quality liquid fuels
N-Methylaniline(NMA)	Increase octane additive for gasoline production, enhance antiknock stability
Dimethyl carbonate(DMC)	Gasoline, diesel fuel additives, Refrigerating machine oil and solvent,to increase the octane value
Isopropanol	Gasoline additive and deicing agent of fuel pipeline
Isopropyl nitrate	Mainly used as vehicle fuel additives, jet assisted propellant. Also used in pharmaceutical intermediates, solvent.
DL-sec-Butyl acetate	Used in paint, ink solvent, also used as solvent in the process of producing synthetic resin
Poly Alpha Olefin(PAO)	Synthetic base oil
2-Ethylhexyl Nitrate	Used for diesel fuel, improve the sixteen alkyl value
4-tert-Butylbenzoic acid	Lubricating oil antirust agent
Mesitylene	Epoxy resin curing agents, stabilizers, plasticizers and alkyd resin dyes
Tetramethylene sulfone	Gas Sweetening agents, oil additives
N-Butylamine NBA	Organic synthesis, Reagents for the analysis, emulsifiers and dyes intermediates
Tetramethylammonium chloride	Oil additives, as drilling exploration
Trimethyl borate	As solvent of producing wax, resin, petroleum, ketone catalyst, also used for electronic industry and preparation of high purity boron

Specialities



Product Name	Application
Propionaldehyde	Mainly for the production of n-propanol, propionic acid, also used for rubber industry and pesticide intermediates
Furfural	Industrial solvents, organic synthesis of raw materialsfor synthetic resins, varnishes,pesticides, pharmaceuticals, rubber and paint
Furfuryl Alcohol	For the manufacture of synthetic rubber, preparation of furfuryl alcohol, furfuryl acid etc, also used as petroleum cracking
beta-Naphthol	Synthetic rubber antioxidant, used in insecticides,perfumes, dyes, etc.
EDTA Acid	Rubber polymerization initiator, PVC heat stabilizers, also as water treatment
Triethyl phosphate (TEP)	Used as a high-boiling solvent, plasticizer of rubber and plastic, also used as raw materials for pesticides
Dodecanedioic Acid	For the synthesis of polyamides, long carbon chain nylon, high-grade lubricants
Undecanedioic acid	For the synthesis of plastics
Brassylic acid	For the synthesis of hot melt adhesives and plastics, senior food packaging materials
Bis(2-Dimethylaminoethyl) ether 98%(A-1)	Use as efficient tertiary amine catalyst in the production of foam products
Tetrabutylammonium bromide(TBAB)	Used as a phase transfer catalyst, also used as pharma intermediate
Tris(2-chloroethyl) phosphate(TCEP)	For flame-retardant polyurethane foam and PVC retardant plasticized
N,N-Dimethylcyclohexylamine	Mainly used for rigid polyurethane foam catalyst
Benzyltributylammonium bromide (BTBAB)	Used as a phase transfer catalyst
tris(1-chloro-2-propyl) phosphate(TCPP)	as a catalyst of Poly-urethane foam
Gum rosin	Mainly used for inks,coatings,paints,also used in soap,paper,adhesives,rubber,flux,synthetic resin.
N,N-Dimethyl-1,3-propanediamine	Used as epoxy curing agents,also used in organic synthesis
3-Cyclohexen-1-Carboxaldehyde	For resin curing agents and organic synthetic raw materials
Methyl trichlorosilane	used as silicone resin monomer

Specialities



Product Name	Application
	Application
Dichloroisocyanuric Acid Sodium	Bactericidal agent, bleaching agent
3,3'-Dichlorobenzidine Dihydrochloride	Dye intermediates
D-Alaninol	Used as an emulsifier
Light Stabilizers-144	Mainly used in powder coating and steel coil,
	automotive Coatings.
Hexamethylcyclotrisiloxane D3	In the manufacture of methyl vinyl silicone rubber
	products
2-Phenylimidazole	Curing agents, pharmaceuticals, pesticides and dyes
	intermediates
Methyl butyrate	Flavors
Thiourea dioxide	As synthetic additives, bleaching agents, photographic
	film emulsion, chloroprene polymerization agent and
	rhodium and iridium separating agent

Life science



Clavulanate Potassium+Microcrystalline cellulose(1:1)Antimicrobial drugs and antiviralCiprofloxacin hydrochloride hydrateBroad-spectrum antibioticsParacetamolAntipyretic, analgesic, anti-theumatic drugsCiticoline sodiumCentral nervous system drugsHydroxychloroquine SulfateAntimalarials. For erythematosus.Clarifying agents; stabilizer; thickener; tabletting fillers; dispersing agent. A molecular weight of 360,000 PVPPolyvinylpyrrolidone PVP K30polymer used as beer, vinegar, wine clarifying agent.ArbekacinAminoglycoside antibioticsSpironolactoneDiureticsMonensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAnthelminticsTylosin TartarteAnti-MycoplasmaColistin sulfateAnti-MycoplasmaColistin sulfateAnti-MycoplasmaColostin sulfateFor the production of vitamin D2 and D3, raw material ofCholesterolused in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodimide (DIC)Dehydration condensing agent in organic synthesisDisopropylcarbodimide (DIC)Dehydration ggent, dehydration condensing agent in organic synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTiphenylmethyl ChlorideSartan reductantTiphenylmethyl ChlorideSartan reductantTiphenylmethyl ChlorideSartan reductantL-ProlinePharmac	Product Name	Application
ParacetamolAntipyretic, analgesic, anti-rheumatic drugsCiticoline sodiumCentral nervous system drugsHydroxychloroquine SulfateAntimalarials. For erythematosus.Clarifying agents; stabilizer; thickener; tabletting fillers; dispersing agent. A molecular weight of 360,000 PVPPolyvinylpyrrolidone PVP K30polymer used as beer, vinegar, wine clarifying agent.ArbekacinAminoglycoside antibioticsSpironolactoneDiureticsMonensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAnthelminticsTylosin TartarteAnti-MycoplasmaColistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsCholesterolFor the production of vitamin D2 and D3, raw material of calculus bovis artifactus and hormone synthetic. Also used in feed additives.Dicyclohexylcarbodiimide(DCC)Biochemical reagents, dehydration condensing agent in organic synthesisDiisopropylcarbodiimide(DCC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Cell separation mediumTriphenylmethyl ChlorideSartan reductantPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsDi-protencePharmaceutical raw materials and food additives.		Antimicrobial drugs and antiviral
Citicoline sodium Central nervous system drugs Hydroxychloroquine Sulfate Antimalarials. For erythematosus. Clarifying agents; stabilizer; thickener; tabletting fillers; dispersing agent. A molecular weight of 360,000 PVP Polyvinylpyrrolidone PVP K30 polymer used as beer, vinegar, wine clarifying agent. Arbekacin Aminoglycoside antibiotics Spironolactone Diuretics Monensin sodium 20/40%/90% Anticoccidial drugs Levamisole hydrochloride Anthelmintics Tylosin Tartarte Anti-Mycoplasma Colistin sulfate Antibiotic medicines for Susceptible infections Florfenicol Veterinary antimicrobial drugs Cholesterol calculus bovis artifactus and hormone synthetic. Also used in feed additives. Salinomycin 12% 24% For the control of coccidiosis; promote animal growth, heat stress. Dicyclohexylcarbodiimide (DCC) Dehydration agent ,coupling agent 9-Fluorene methanol (FMOC-OH) Amino-protecting agent Fmo-Osu Amino-protecting agent,Pharma intermediates TBTU Coupling reagents, for solid phase peptide synthesis Diagnostic agents, the contrast agent of the co-solvents, surfactants surfactants Polysucrose 400 Cell se	Ciprofloxacin hydrochloride hydrate	Broad-spectrum antibiotics
Hydroxychloroquine Sulfate Antimalarials. For erytheratosus. Clarifying agents; stabilizer; thickener; tabletting fillers; dispersing agent. A molecular weight of 360,000 PVP Polyvinylpyrrolidone PVP K30 polymer used as beer, vinegar, wine clarifying agent. Arbekacin Aminoglycoside antibiotics Spironolactone Diuretics Monensin sodium 20/40%/90% Anticoccidial drugs Levamisole hydrochloride Anthelminitos Tylosin Tartate Antioocidial drugs Colistin sulfate Antibiotic medicines for Susceptible infections Florencol Veterinary antimicrobial drugs Cholesterol satifactus and hormone synthetic. Also used in feed additives. Salinomycin 12% 24% For the control of coccidiosis; promote animal growth, heat stress. Dicyclohexylcarbodiimide(DCC) Biochemical reagents,dehydration condensing agent in organic synthesis Disopropylcarbodiimide (DIC) Dehydration agent, coupling agent 9-Fluorene methanol (FMOC-OH) Amino-protecting agent, Pharma intermediates TBTU Coupling reagents, the contrast agent of the co-solvents, surfactants Polysucrose 400 Cell separation medium Triphenylmethyl Chloride Sartan reductant Glutathione Medicine, health	Paracetamol	Antipyretic, analgesic, anti-rheumatic drugs
Clarifying agents; stabilizer; thickener; tabletting fillers; dispersing agent. A molecular weight of 360,000 PVP polymer used as beer, vinegar, wine clarifying agent.ArbekacinAminoglycoside antibioticsSpironolactoneDiureticsMonensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAnthelminticsTylosin TartareAntibiotic medicines for Susceptible infectionsColistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsFor the production of vitamin D2 and D3, raw material of calculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents, dehydration condensing agent in organic synthesisDisorroplycarbodiimide (DIC)Dehydration agent , coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.	Citicoline sodium	Central nervous system drugs
dispersing agent. A molecular weight of 360,000 PVPPolyvinylpyrrolidone PVP K30polymer used as beer, vinegar, wine clarifying agent.ArbekacinAminoglycoside antibioticsSpironolactoneDiureticsMonensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAnthelminiticsTylosin TartarteAnti-MycoplasmaColistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsFlorfenicolVeterinary antimicrobial drugsCholesterolcalculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DCC)Dehydration agent ,coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent diagent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneCell separation mediumTiphenylmethyl ChloridePharmaceutical raw materials and food additives.CholesterolCell separation medium	Hydroxychloroquine Sulfate	Antimalarials. For erythematosus.
Polyvinylpyrrolidone PVP K30polymer used as beer, vinegar, wine clarifying agent.ArbekacinAminoglycoside antibioticsSpironolactoneDiureticsMonensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAntievcidial drugsColistin sulfateAntibotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsColostin sulfateFor the production of vitamin D2 and D3, raw material of calculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide (DCC)Biochemical reagents, dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent, coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGCell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneCell separation mediumTriphenylmethyl ChloridePharmaceutical raw materials and food additives.Di-ProlinePharmaceutical raw materials and food additives.		Clarifying agents; stabilizer; thickener; tabletting fillers;
ArbekacinAminoglycoside antibioticsSpironolactoneDiureticsMonensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAnthelminticsTylosin TartarteAnti-MycoplasmaColistin sulfateAntbiloitic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsCholesterolcalculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsDi-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives		dispersing agent. A molecular weight of 360,000 PVP
SpironolactoneDiureticsMonensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAnticoccidial drugsLevamisole hydrochlorideAnthelminticsTylosin TartarteAnti-MycoplasmaColistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsCholesterolcalculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.	Polyvinylpyrrolidone PVP K30	polymer used as beer, vinegar, wine clarifying agent.
Monensin sodium 20/40%/90%Anticoccidial drugsLevamisole hydrochlorideAnthelminticsTylosin TartarteAnti-MycoplasmaColistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsFlorfenicolFor the production of vitamin D2 and D3, raw material of calculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide (DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Maino-protecting agent of the co-solvents, surfactantsN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.	Arbekacin	Aminoglycoside antibiotics
Levamisole hydrochlorideAnthelminiticsTylosin TartarteAnthelminiticsColistin sulfateAnti-MycoplasmaColistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsFlorfenicolVeterinary antimicrobial drugsCholesterolcalculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Spironolactone	Diuretics
Tylosin TartareAnti-MycoplasmaColistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsFlorfenicolVeterinary antimicrobial drugsCholesterolcalculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Monensin sodium 20/40%/90%	Anticoccidial drugs
Colistin sulfateAntibiotic medicines for Susceptible infectionsFlorfenicolVeterinary antimicrobial drugsFlorfenicolFor the production of vitamin D2 and D3, raw material of calculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Levamisole hydrochloride	Anthelmintics
FlorfenicolVeterinary antimicrobial drugsFlorfenicolFor the production of vitamin D2 and D3, raw material of calculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents, dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino- protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Tylosin Tartarte	Anti-Mycoplasma
For the production of vitamin D2 and D3, raw material of calculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents, dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Colistin sulfate	Antibiotic medicines for Susceptible infections
Cholesterolcalculus bovis artifactus and hormone synthetic. Also used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Florfenicol	Veterinary antimicrobial drugs
Used in feed additives.Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agent,Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisTBTUDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives		For the production of vitamin D2 and D3, raw material of
Salinomycin 12% 24%For the control of coccidiosis; promote animal growth, heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino- protecting agent,Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Cholesterol	calculus bovis artifactus and hormone synthetic. Also
Salinomycin 12% 24%heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFmoc-OsuAmino- protecting agent,Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives		used in feed additives.
heat stress.Dicyclohexylcarbodiimide(DCC)Biochemical reagents,dehydration condensing agent in organic synthesisDiisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFmoc-OsuAmino- protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsD(+)-TryptophanNutritional additives		For the control of coccidiosis; promote animal growth,
Dicyclohexylcarbodiimide(DCC)organic synthesisDiisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFmoc-OsuAmino- protecting agent,Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsD(+)-TryptophanNutritional additives	Salinomycin 12% 24%	heat stress.
Diisopropylcarbodiimide (DIC)Dehydration agent ,coupling agentDi-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFmoc-OsuAmino- protecting agent,Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsD(+)-TryptophanNutritional additives	Disvelation describe diverside (DCC)	Biochemical reagents, dehydration condensing agent in
Di-tert-butyl dicarbonate (DIBOC)Amino-protecting agent9-Fluorene methanol (FMOC-OH)Amino-protecting agentFmoc-OsuAmino- protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Dicyclohexylcarbodiimide(DCC)	organic synthesis
9-Fluorene methanol (FMOC-OH)Amino-protecting agentFmoc-OsuAmino- protecting agent, Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Diisopropylcarbodiimide (DIC)	Dehydration agent ,coupling agent
Fmoc-OsuAmino- protecting agent,Pharma intermediatesTBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Di-tert-butyl dicarbonate (DIBOC)	Amino-protecting agent
TBTUCoupling reagents for solid phase peptide synthesisN-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	9-Fluorene methanol (FMOC-OH)	Amino-protecting agent
N-Methylglucamine NMGDiagnostic agents, the contrast agent of the co-solvents, surfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Fmoc-Osu	Amino- protecting agent, Pharma intermediates
N-Methylglucamine NMGsurfactantsPolysucrose 400Cell separation mediumTriphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	TBTU	Coupling reagents for solid phase peptide synthesis
Triphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	N-Methylglucamine NMG	
Triphenylmethyl ChlorideSartan reductantGlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Polysucrose 400	Cell separation medium
GlutathioneMedicine, health care, food additives, cosmetics, chemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Triphenylmethyl Chloride	
Glutathionechemical and biological reagentsL-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives		Medicine, health care, food additives, cosmetics,
L-ProlinePharmaceutical raw materials and food additives.D(+)-TryptophanNutritional additives	Glutathione	
	L-Proline	
	D(+)-Tryptophan	Nutritional additives
		Nutritional supplements.

Patented products available for R&D use as permitted under CFR 35 sec.271(e)(1). www.simagchem.com

Life science



Product Name	Application
D(-)-Tartaric acid	Medicine splitting agent, food additives, chemical and
	biological reagents
	Medicine splitting agent, food additives, chemical and
L(+)-Tartaric acid	biological reagents
DL-Tartaric Acid	Medicine splitting agent, food additives, chemical and
	biological reagents
Inositol	For food fortifier, health care products, aquatic feed
	additive
	Pharma intermediate of vitamin B1,sulfa drugs,
Trimethyl Orthoformate(TMOF)	antibiotics and other drugs, raw materials of fragrances
	and pesticides, and polyure thane coatings additives
	Intermediates of Pharma, pesticide, raw material of
Triethyl Orthoformate(TEOF)	polymers, photographic chemicals, photographic
	materials and dye materials
Ammonium formate Anhydrous	Pharmaceutical intermediates, analytical reagents
4-bromobenzaldehyde	Pharmaceutical and dye intermediates
Ethyltriphenylphosphonium bromide(TBEPB)	Pharmaceutical intermediates
Xanthene-9-carboxylic acid	Anticholinergics propantheline bromide intermediates
Ethyl isocyanoacetate(EICA)	Can be used for the synthesis of flumazenil
L-Arabinose	Food additive, also used in medicine and for medium
D-xylose	No-calorie sweetener, also used for making xylitol
Xylitol	Food sweet taste agent
Aspartame	Food additives, nutritive sweeteners
Vitamin E 50% 98% USP(oil/powder)	Used as medicines, nourishment and cosmetic additives
	For the prevention and treatment of scurvy, also for a
Vitamin C (L(+)-Ascorbic acid)	variety of acute and chronic infectious diseases and
	purpura
(E)-1,4-Dibromobut-2-Ene	Pharma Intermediate
2-(Bromomethyl)naphthalene	Pharma Intermediate
beta-D-Ribofuranose 1,2,3,5-tetraacetate	Pharma Intermediate
2-Fluoro-6-nitrobenzoic acid	Pharma Intermediate



Customer Service Lines: Tel: 0086 592 2680277 / 275 / 654 / 279 Fax:0086 592 2680237 E-mail: sale@simagchem.com

China Headquarter SIMAGCHEM Corporation

Commercial Centre: 21/F Hulong Office Buliding, No.6 Hubin East Road, Xiamen,China

HongKong Office

SIMAG Holdings LTD

Unit 1001 Fourseas, Building 208-212 Nathan Road ,Kowloon , Hongkong

Application of our products

The products of the SIMAGCHEM corporation are produced and/or distributed in accordance with the existing legal requirements. However, it is the sole responsibility of the user of our products to make sure that the application of the products is done in accordance with the applicable laws.





Your Partner For Chinese Market

Simagchem Corporation 21F Hualong Office Bldg, No.6 Hubin East Road, Xiamen, China Tel: 0086 592 2680277 Fax: 0086 592 2680237 E-mail: sale@simagchem.com Website : www.simagchem.com